

SPECTRA CONNECT CEILING TRACK HOIST SYSTEM


TECHNICAL INFORMATION



The NEW Spectra Connect ceiling track hoist has been ergonomically designed to provide a simple and unobtrusive unit. The introduction of modern materials has achieved an ultra quiet operation with the minimum of impact.

The system is innovated using the latest design technology, constructed from the highest quality proven components and materials providing a perfect solution for the controlled and safe transfer of people.

NEW LED DISPLAY & CONTROLS



- ◆ Integral weighing indicator device
- ◆ Number of operations counter
- ◆ Service required indicator
- ◆ Audible low battery indicator
- ◆ Battery charging indicator
- ◆ Powered emergency lowering
- ◆ Electronic microprocessor soft-start and stop motor control

HAND CONTROL



- ◆ Comfortable handhold position
- ◆ Micro touch, raised buttons
- ◆ Arrow indication for raising & lowering
- ◆ Blue and red colour indication for traverse movement
- ◆ Infra-red hand control (optional)
- ◆ Waterproof, for safe use in bathing/swimming pool areas
- ◆ Automatic return to charge function initiated by user (optional)

Technical Specifications for Standard Product

| | | |
|--------------------------|---------------|-------|
| Lifting capacity | 200kgs/31.6st | |
| Unit weight | 15kgs/33lbs | |
| Track height | A | 60mm |
| Hoist height | B | 173mm |
| Track to hook height | C | 290mm |
| Track top to hook height | D | 350mm |
| Hoist width | E | 312mm |
| Spreader bar length | F | 555mm |

